






List of publications of Pierre Mathys

List fulfilling the [Guide for applicants 2018](#)'s requirements

3. Articles published in peer-review journals

1. Lonys, L., Vanhoestenberghé, A., Huberty, V., Hiernaux, M., Cauche, N., Julemont, N., Debelle, A., Huberland, F., Acuna Otarola, V., Godfraind, C., Devière, J., Delchambre, A., **Mathys, P.**, & Nonclercq, A. (2017, November). In vivo validation of a less invasive gastrostimulator. *Artificial organs*, 41(11), E213–E221. doi:10.1111/aor.13056
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/232474/3/232474.pdf>
2. Lonys, L., Vanhoestenberghé, A., Huberty, V., Hiernaux, M., Cauche, N., Julemont, N., Debelle, A., Huberland, F., Acuna Otarola, V., Godfraind, C., Devière, J., Delchambre, A., **Mathys, P.**, & Nonclercq, A. (2016, June). Design and implementation of a less invasive gastrostimulator. *European Journal of Translational Myology*.
3. Lonys, L., Vanhoestenberghé, A., Julemont, N., Godet, S., Delplancke, M.-P., **Mathys, P.**, & Nonclercq, A. (2015, January 06). Silicone rubber encapsulation for an endoscopically implantable gastrostimulator. *Medical & biological engineering & computing*, 53(4), 319-329. doi:10.1007/s11517-014-1236-9
4. Nonclercq, A., Foulon, M., Verheulpen, D., De Cock, C., Buzatu, M., **Mathys, P.**, & Van Bogaert, P. (2012). Cluster-based spike detection algorithm adapts to interpatient and inpatient variation in spike morphology. *Journal of neuroscience methods*, 210(2), 259-65.
 https://dipot.ulb.ac.be/dspace/bitstream/2013/126847/1/Cluster_based_spike_detection_algorithm_adapts_to_interpatient.pdf
5. Nonclercq, A., & **Mathys, P.** (2010). Quantification of Motion Artifact Rejection Due to Active Electrodes and Driven-Right-Leg Circuit in Spike Detection Algorithms. *IEEE transactions on biomedical engineering*, 57(11), 2746-2752. doi:10.1109/TBME.2010.2055867
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/66494/1/TBME2055867.pdf>
6. Nonclercq, A., Foulon, M., Verheulpen, D., De Cock, C., Buzatu, M., **Mathys, P.**, & Van Bogaert, P. (2009, April). Spike detection algorithm automatically adapted to individual patients applied to spike-and-wave percentage quantification. *Neurophysiologie clinique*, 39(2), 123-131. doi:10.1016/j.neucli.2008.12.001
 https://dipot.ulb.ac.be/dspace/bitstream/2013/226002/1/Elsevier_209629.pdf
7. Nonclercq, A., Foulon, M., Verheulpen, D., De Cock, C., Buzatu, M., **Mathys, P.**, & Van Bogaert, P. (2009). Spike detection algorithm automatically adapted to individual patients applied to spike-and-wave percentage quantification. *Neurophysiologie clinique*, 39, 123-131. doi:10.1016/j.neucli.2008.12.001
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/51484/1/NEUCLI2254.pdf>
8. Osee, M., Boey, C., Bairy, E., Robert, F., & **Mathys, P.** (2008, February). Pour bien commencer l'électronique: écoutez la radio! *Journal sur l'enseignement des sciences et technologies de l'information et des systèmes*, 7(HS 1). doi:10.1051/j3ea:2008007








9. Boey, C., Raman, V., Robert, F., & **Mathys, P.** (2006). Une plateforme logicielle interactive pour percevoir intuitivement le comportement temporel des circuits électriques et électroniques. *Journal sur l'enseignement des sciences et technologies de l'information et des systèmes*, 5(HS 2).
10. Nonclercq, A., Boey, C., Schaub, G., Robert, F., & **Mathys, P.** (2006). Illustration de problèmes de compatibilité électromagnétique (CEM). *Journal sur l'enseignement des sciences et technologies de l'information et des systèmes*, 5(HS 2).
 https://dipot.ulb.ac.be/dspace/bitstream/2013/74297/1/Illustration_de_problemes_de_compatibilite_electromagnetique.pdf
11. Nonclercq, A., Verheulpen, D., De Cock, C., **Mathys, P.**, & Foulon, M. (2006). A new simultaneously objective and patient-specific spike and wave detection algorithm based on template matching (abstract). *Epilepsia*, 47(Supplément S3), 9. doi:10.1111/j.1528-1167.2006.00715_4.x
 https://dipot.ulb.ac.be/dspace/bitstream/2013/93459/1/A_new_simultaneously_objective_and_patient_specific_spike_and_wave.pdf
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/93459/4/93459.pdf>
12. De Cock, C., Nonclercq, A., Verheulpen, D., Foulon, M., **Mathys, P.**, & Jacquy, J. (2006). Relationship between the characteristics of slow-wave components and cognitive impairment in rolandic epilepsy (abstract). *Epilepsia*, 47(Supplément S3), 190-191. doi:10.1111/j.1528-1167.2006.00715_33.x
 https://dipot.ulb.ac.be/dspace/bitstream/2013/93460/1/Relationship_between_the_characteristics_of-Slow_wave_components.pdf
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/93460/4/93460.pdf>
13. Robert, F., **Mathys, P.**, Velaerts, B., & Schauwers, J.-P. (2005, August). Two-dimensional analysis of the edge effect field and losses in high-frequency transformer foils. *IEEE transactions on magnetics*, 41(8), 2377-2383. doi:10.1109/TMAG.2005.852938
14. Leroy, A., Robert, F., & **Mathys, P.** (2005). Simulation didactique interactive d'une jonction semi-conductrice. *Journal sur l'enseignement des sciences et technologies de l'information et des systèmes*, 4(HS 2).
15. Nonclercq, A., Verheulpen, D., De Cock, C., **Mathys, P.**, & Foulon, M. (2005). A new spike-wave detection algorithm showing high sensitivity, low false positive rate and reduced computing time permits good detection of electrical status epilepticus during slow sleep (ESES) (abstract). *Epilepsia*, 46(Supplément S6), 234. doi:10.1111/j.1528-1167.2005.460602.x
 https://dipot.ulb.ac.be/dspace/bitstream/2013/93461/1/A_new_spike_wave_detection_algorithm_showing_high_sensitivity.pdf
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/93461/4/93461.pdf>
16. De Groote, A., Groswasser, J., Bersini, H., **Mathys, P.**, & Kahn, A. (2002, June). Detection of obstructive apnea events in sleeping infants from thoracoabdominal movements. *Journal of sleep research*, 11(2), 161-168. doi:10.1046/j.1365-2869.2002.00291.x
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/76254/3/76254.pdf>

17. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (2001, May). A closed-form formula for 2-D ohmic losses calculation in SMPS transformer foils. *IEEE transactions on power electronics*, 16(3), 437-444. doi:10.1109/63.923777
18. Robert, F., **Mathys, P.**, & Velaerts, B. (2001). L'alimentation à découpage: principes et applications. *Revue E Tijdschrift*, 2, 16-23.
19. Sackner, M. A., De Groote, A., Verbandt, Y., Paiva, M., & **Mathys, P.** (2001). Piezoelectric sensor vs. respiratory inductive plethysmograph. *Journal of applied physiology*, 90, 403-404.
20. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (2000). Layer copper factor, although widely used and useful, has no theoretical base. *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 3, 1633-1638.
21. De Groote, A., Verbandt, Y., Paiva, M., & **Mathys, P.** (2000). Measurement of thoraco-abdominal asynchrony: importance of sensor sensitivity to cross section deformations. *Journal of applied physiology*, 88, 1295-1302.
22. De Groote, A., Verbandt, Y., Paiva, M., & **Mathys, P.** (2000). Measurement of thoracoabdominal asynchrony: Importance of sensor sensitivity to cross section deformations. *Journal of applied physiology*, 88(4), 1295-1302.
23. Robert, F., & **Mathys, P.** (1998). Ohmic losses calculation in SMPS transformers: Numerical study of Dowell's approach accuracy. *IEEE transactions on magnetics*, 34(4 PART 1), 1255-1257.
24. Wyns, A., bogaerts, D., Van Eck, J.-L., & **Mathys, P.** (1993). PSPICE simulations and 3D-PCB transformers for ZVS full bridge converters. *IEE Conference Publication*, 3(377), 208-215.
25. Bertha, F., Valaerts, B., **Mathys, P.**, Tatakis, E., Wyns, A., bogaerts, D., & Miller, M. (1993). Improved power diode model for Pspice, applied to converter simulation. *IEE Conference Publication*, 2(377), 247-254.
26. Claessens, P., **Mathys, P.**, Bou Saada, J., & Colignan, P. (1993). Optimized, adaptive, reduced-order flux-observer. *IEE Conference Publication*, 4(377), 422-427.
27. Velaerts, B., & **Mathys, P.** (1991, October). Microcontroller-based Multi-mode 3-Level Pulse-Width-Modulation. *E P E Journal*, 1(2), 133-138.
28. **Mathys, P.**, & Van Eck, J.-L. (1991, July). Specific Integrated Circuits for Power Electronics. *E P E Journal*, 1(1), 61-66.
29. **Mathys, P.** (1988). Commande numérique des machines asynchrones en vitesse variable - 2ème partie. *Revue E Tijdschrift*, 104(1/1), 41-54.
30. Velaerts, B., **Mathys, P.**, Tatakis, E., & Bingen, G. (1988). Novel approach to the generation and optimization of three-level PWM wave forms. *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 1255-1262.

31. **Mathys, P.** (1987). Commande numérique des machines asynchrones en vitesse variable - 1ère partie. *Revue E Tijdschrift*, 103(1/2), 51-59.
32. Koulischer, J., **Mathys, P.**, & Bingen, G. (1986). COMPUTER-AIDED CHOICE OF DIGITAL PWM STRATEGIES. *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 49-57.

4. Articles published in conference proceedings

1. Lonys, L., Vanhoestenberghé, A., Huberty, V., Hiernaux, M., Cauche, N., Julemont, N., Debelle, A., Huberland, F., Acuna Otarola, V., Godfraind, C., Devière, J., Delchambre, A., **Mathys, P.**, & Nonclercq, A. (2016, June 10). Design and implementation of a less invasive gastrostimulator. *Proceedings of the IFESS Annual Conference*.
2. Lonys, L., Vanhoestenberghé, A., Huberty, V., Hiernaux, M., Cauche, N., Julemont, N., Devière, J., **Mathys, P.**, & Nonclercq, A. (2013). A first prototype of an endoscopically implantable gastrostimulator. *Proceedings of the IFESS Annual Conference. 18th Annual International FES Society Conference* (pp. 1-3).
https://dipot.ulb.ac.be/dspace/bitstream/2013/146617/1/A_first_prototype_of_an_endoscopically_implantable.pdf
3. Lonys, L., Vanhoestenberghé, A., Devière, J., Julemont, N., Huberty, V., Cauche, N., Hiernaux, M., **Mathys, P.**, & Nonclercq, A. (2013). An endoscopically implantable gastric stimulator. *12th Belgian Day on Biomedical Engineering – joint meeting with IEEE EMBS Benelux Chapter* (p. 1).
https://dipot.ulb.ac.be/dspace/bitstream/2013/160851/1/An_endoscopically_implantable_gastric_stimulator.pdf
4. De Cuyper, K., Osee, M., Robert, F., & **Mathys, P.** (2012, July 30). A fast, state-graph-based diode switching algorithm for real-time power converter emulators. *Workshop on Control and Modeling for Power Electronics (COMPEL)*.
5. Osee, M., De Cuyper, K., Robert, F., & **Mathys, P.** (2012, July 30). Multi-segments sliding mode control of a boost converter. *Workshop on Control and Modeling for Power Electronics (COMPEL)*.
6. Osee, M., Robert, F., & **Mathys, P.** (2011, September 01). A digital platform for real-time simulation of power converters with high switching frequency. *Power Electronics and Applications (EPE 2011), Proceedings of the 2011-14th European Conference on*.
7. Lonys, L., Hiernaux, M., Cauche, N., Devière, J., Vanhoestenberghé, A., **Mathys, P.**, & Nonclercq, A. (2011). Challenges for the design of an endoscopically implanted electrostimulator. *Proceedings of the IFESS Annual Conference* (pp. 1-3).
https://dipot.ulb.ac.be/dspace/bitstream/2013/91896/1/Challenges_for_the_design_of_an_endoscopically_implanted.pdf
8. Lonys, L., **Mathys, P.**, & Nonclercq, A. (2011). Human energy harvesting used for endoscopic implant power supply. *Proceedings of ISB2011* (pp. 1-2).

- 
https://dipot.ulb.ac.be/dspace/bitstream/2013/91895/1/Human_energy_harvesting_used_for_endoscopic_implant_power_supply.pdf
9. Lonys, L., Delchambre, A., **Mathys, P.**, & Nonclercq, A. (2010). Human energy harvesting used for endoscopic implant power supply. *Proceedings of Belgian Day on Biomedical Engineering* (p. 1).

https://dipot.ulb.ac.be/dspace/bitstream/2013/78262/3/Human_energy_harvesting_used_for_endoscopic.pdf
 10. Anthony, A., Jaumain, M., Penelle, B., Warzée, N., **Mathys, P.**, & Nonclercq, A. (2010). Electromyogram pattern recognition in neurophysiology and physiotherapy. *Proceedings of Belgian Day on Biomedical Engineering* (p. 1).

https://dipot.ulb.ac.be/dspace/bitstream/2013/78263/1/EMG_pattern_recognition_final.pdf
 11. Jaumain, M., Osee, M., Richard, A., Vander Biest, A., & **Mathys, P.** (2007, September 03). Educational simulation of the RiSC processor. *Proc. ICEE (International Conference on Engineering Education), 03-07/09/07, Coimbra (Portugal)*.
 12. Nonclercq, A., Verheulpen, D., De Cock, C., **Mathys, P.**, & Foulon, M. (2006). A new, simultaneously objective and patient-specific, spike and wave detection algorithm based on template matching. *Proceedings of 7th European Congress on Epileptology*. Vol. 32 (pp. 123-131).

https://dipot.ulb.ac.be/dspace/bitstream/2013/70861/1/A_new_simultaneously_objective_and_patient_specific_spike_and_wave.pdf
 13. Boey, C., Bairy, E., Robert, F., & **Mathys, P.** (2006). Un dispositif d'évaluation mixte (formative/sommative) efficace et perçu positivement par les étudiants dans le cadre de laboratoires en sciences de l'ingénieur. *Actes des 8e Biennale internationale de l'Education et de la Formation*.
 14. De Cock, C., Nonclercq, A., Verheulpen, D., Foulon, M., **Mathys, P.**, & Jacquy, J. (2006). Relationship between the characteristics of slow-wave components and cognitive impairment in rolandic epilepsy. *Proceedings of 7th European Congress on Epileptology Helsinki, Finland* (pp. 1-2).

https://dipot.ulb.ac.be/dspace/bitstream/2013/160858/1/Relationship_between_the_characteristics_of_slow_wave.pdf
 15. Nonclercq, A., Verheulpen, D., De Cock, C., **Mathys, P.**, & Foulon, M. (2005). A new spike-wave detection algorithm showing high sensitivity, low false positive rate and reduced computing time permits a good detection of electrical status epilepticus during slow sleep (ESES). *Proceedings of 26th International Epilepsy Congress* (p. 1).

https://dipot.ulb.ac.be/dspace/bitstream/2013/70862/1/A_new_spike_wave_detection_algorithm.pdf
 16. Nonclercq, A., & **Mathys, P.** (2005). High resolution wave generator permits test and calibration of medical instrumentation devices. *Proceedings of 3rd IFMBE European Conference on Biomedical Engineering* (pp. 1-5).

https://dipot.ulb.ac.be/dspace/bitstream/2013/70864/1/Nonclercq_2005.pdf

17. Nonclercq, A., Boey, C., Schaub, G., Robert, F., & **Mathys, P.** (2005). Illustration de problèmes de compatibilité électromagnétique (CEM). *Actes du 5ème Colloque sur l'Enseignement des Technologies et des Sciences de l'Information et des Systèmes* (pp. 1-6).
 https://dipot.ulb.ac.be/dspace/bitstream/2013/70865/1/Nonclercq_2005.pdf
18. Robert, F., Sprooten, J., **Mathys, P.**, Schauwers, J.-P., & Velaerts, B. (2005). Eddy current losses in SMPS transformers round wire windings: a semi-analytical closed-form formula. *Proceedings of the 11th European Conference on Power Electronics and Applications*.
19. Nonclercq, A., & **Mathys, P.** (2004). Design of a DC-coupled amplifier for biological measurements based on a Sallen-Key filter. *Proceedings of Belgian Day on Biomedical Engineering* (p. 1).
 https://dipot.ulb.ac.be/dspace/bitstream/2013/70867/1/Design_of_a_DC_coupled_amplifier_for_biological_measurements.pdf
20. Nonclercq, A., & **Mathys, P.** (2004). Characterisation of the electrodes used in the EEG. *Proceedings of Forum URSI* (p. 1).
 https://dipot.ulb.ac.be/dspace/bitstream/2013/70866/1/Characterisation_of_the_electrodes_used_in_the_EEG.pdf
21. Nonclercq, A., & **Mathys, P.** (2004). Reduction of power line interference using active electrodes and a driven-right-leg circuit in electroencephalographic recording with a minimum number of electrodes. *Conf Proc IEEE Eng Med Biol Soc.* (pp. 2247-2250).
 <https://dipot.ulb.ac.be/dspace/bitstream/2013/75864/1/Nonclercq.pdf>
22. Nonclercq, A., Driessens, E., Adams, S., & **Mathys, P.** (2003). New strategies of acquisition and processing of encephalographic potentials. *Proceedings of Forum URSI* (p. 1).
 https://dipot.ulb.ac.be/dspace/bitstream/2013/70868/1/New_strategies_of_acquisition_and_processing.pdf
23. Leroy, A., Robert, F., & **Mathys, P.** (2003). Simulation didactique interactive d'une jonction semi-conductrice. *congrès CETSIS*.
24. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (2002, August 07). Simultaneous analysis of harmonics and 2D effects on the optimal thickness of transformer windings. *Digest of Technical Papers INTERMAG Europe 2002* (p. 3). IEEE.
25. COLASSE, A., Delporte, L., MASSELUS, J.-E., Osee, M., & **Mathys, P.** (2001, September 03). Symetrisation of asymetrical short-circuits in IGBT drives. *Proc. 9th European Conference on Power Electronics and Applications*.
26. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (2001). Eddy current losses in SMPS transformers: a full-frequency-range review of 2D effects inside the windings. *Proceedings of the European Power Electronics and Applications Conference* (p. 10).
27. Robert, F., **Mathys, P.**, Schauwers, J.-P., & Velaerts, B. (2001). Copper losses and power density of power transformer technologies. *Proc. 23rd International telecommunications Energy Conference INTELEC 2001* (pp. 73-80).

28. Schauwers, J.-P., Velaerts, B., Robert, F., & **Mathys, P.** (2000). Modélisation et simulation de transformateurs: application aux transformateurs planaires. *Actes du Congrès SIMTEC* (p. 10).
29. BODSON, J.-M., Bou Saada, J., COLASSE, A., Delporte, L., MASSELUS, J.-E., **Mathys, P.**, & Osee, M. (1999, September 07). ONIX3000 : an IGBT propulsion drive directly coupled to the 3kV catenary for railway application. *Proc. 8th European Conference on Power Electronics and Applications*.
30. BODSON, J.-M., Bou Saada, J., COLASSE, A., Colignon, P., MASSELUS, J.-E., **Mathys, P.**, & Osee, M. (1999, September 07). Study of direct series connection of IGBT for a 3kV chopper. *Proc. 8th European Conference on Power Electronics and Applications*.
31. Bou Saada, J., Delporte, L., Colignon, P., Thomas, P., **Mathys, P.**, & Osee, M. (1999, September 07). High power factor, high efficiency bi-directional GTO rectifier for locomotive application (2nd part). *Proc. 8th European Conference on Power Electronics and Applications*.
32. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (1999). Advanced guidelines and optimization tools for foil conductors design in SMPS transformers. *Proceedings of the European Power Electronics and Applications Conference* (p. 8).
33. Schauwers, J.-P., Nunes, C., Velaerts, B., Robert, F., & **Mathys, P.** (1999). Planar transformer technology applied to AC/DC conversion. *Proceedings of the INTELEC Conference* (p. 5).
34. Robert, F., **Mathys, P.**, & Schauwers, J.-P. (1998). Ohmic losses calculation in SMPS transformers: numerical study of Dowell's approach accuracy. *Proceedings of the 7th Joint MMM-Intermag Conference* (p. 3).
35. Bou Saada, J., Colignon, P., Thomas, P., Avaux, F., Delporte, L., & **Mathys, P.** (1997). High Power factor High efficiency bidirectional GTO rectifiers for locomotif application. *Proc. 7th European Conference on Power Electronics and Applications: Vol. 4* (pp. 298-304). EPE Association.
36. bogaerts, D., George, N., & **Mathys, P.** (1995). Intelligent energy systems for telecommunications. *Proc. 17th International Telecommunications Energy Conference* (pp. 203-206).
37. Velaerts, B., Schauwers, J.-P., bogaerts, D., Miller, M., **Mathys, P.**, & Van Eck, J.-L. (1995). Multi-resonant techniques applied to a family of single-output DC-DC converters. *Proc. 6th European Conference on Power Electronics and Applications: Vol. 2* (pp. 612-617).
38. Wijns, A., bogaerts, D., Van Eck, J.-L., & **Mathys, P.** (1993). PSPICE simulations and 3-D PCB transformers for ZVS full-bridge converter. *Proc. 5th European Conference on Power Electronics and Applications: Vol. 3* (pp. 208-215). EPE Association.
39. Bertha, F., Velaerts, B., **Mathys, P.**, Tatakis, E., Wijns, A., bogaerts, D., & Miller, M. (1993). An improved power diode model for PSPICE applied to converter simulation. *Proc.*

- 5th European Conference on Power Electronics and Applications: Vol. 2* (pp. 249-254). EPE Association.
40. Claessens, P., **Mathys, P.**, & Bou Saada, J. (1993). An optimized, adaptative, reduced order flux observer. *Proc. 5th European Conference on Power Electronics and Applications: Vol. 4* (pp. 422-427). EPE Association.
 41. Velaerts, B., & **Mathys, P.** (1991). Study of 2 and 3-level Precalculated Modulations. *Proc. 4th European Conference on Power Electronics and Applications: Vol. 3* (pp. 228-234). EPE Association.
 42. Velaerts, B., **Mathys, P.**, & Bingen, G. (1989). New developments of 3-level PWM strategies. *Proc. 3rd European Conference on Power Electronics and Applications* (pp. 411-416). EPE Association.
 43. Velaerts, B., **Mathys, P.**, Tatakis, E., & Bingen, G. (1988). A novel approach to the generation and optimization of three-level PWM wave forms. *Proc. PESC'88 IEEE Power Electronics Specialists Conference* (pp. 0-3).
 44. Bingen, G., Koulischer, J., & **Mathys, P.** (1986). Computer aided choice of digital PWM strategies. *Proc. Power Electronics Specialists Conference* (pp. 49-57).
 45. Koulischer, J., & **Mathys, P.** (1985). Modulateur numérique à hautes performances pour onduleurs à transistors de puissance. *Proc. 1st European Conference on Power Electronics and Applications: Vol. 2* (pp. 105-111). EPE Association.
 46. **Mathys, P.**, Maggetto, G., & Van Eck, J.-L. (1983). Performances d'un modulateur à microprocesseur pour onduleur MLI. *Actes du colloque international sur la commande et la régulation numériques des machines électriques 1983 toulouse: Vol. II* (pp. 52-59).
 47. **Mathys, P.** (1982). Microprocessor based multimode synchronous pulse width modulation. *Proc. Microelectronics in Power electronics and Electrical Drives* (pp. 237-242).
 48. Maggetto, G., Van Eck, J.-L., **Mathys, P.**, & Van Dooren, Y. (1982). Application des techniques digitales à la commande de chaînes de traction à moteurs asynchrones. *Proc. Drive Electric 82* (pp. 509-519).
 49. **Mathys, P.** (1981). Prom based modulator for an inverter fed asynchronous machine drive. *Proc. 4th Power Electronics Conference: Vol. II* (pp. 51-59).
 50. Maggetto, G., Van Eck, J.-L., Broucke, A., & **Mathys, P.** (1981). Battery chargers for commercial electric vehicles, a comparison of different solutions. *Proc. Electric Vehicle 81*.
 51. Maggetto, G., Van Eck, J.-L., Debacker, H., Moortgat, D., Meyers, R., & **Mathys, P.** (1980). Brussels Electric Vehicle Experiment. *Proc. Drive Electric 80*.
 52. **Mathys, P.**, Kirschen, D., Maggetto, G., & Van Eck, J.-L. (1980). Modulateur digital pour un onduleur à thyristors ultra-rapides. *Actes du colloque international sur la commande et la régulation numériques des machines électriques: Vol. II* (pp. 22-30).

5. Oral presentations during conferences, which include a review committee

1. **Mathys, P.** (1996). *Les bus de terrain : concept général et évolution*. Paper session presented at SRBE Société Royale Belge des Electriciens (1996: Bruxelles).
2. **Mathys, P.** (1994). *Analog Simulation with PSPICE for the design of switch-mode power supplies*. Paper session presented at Semaine de la Technologie de la Région Wallonne (1994: Wavre).
3. **Mathys, P.** (1993). *Les besoins en communication des capteurs et actionneurs intelligents - Présentation succincte des différents réseaux de terrain*. Paper session presented at AIM93 (1993: Liège).
4. **Mathys, P.** (1990). *Appareillages de test à microprocesseur pour auto-adhésifs*. Paper session presented at ISIL (1990: Liège).
5. **Mathys, P.** (1989). *Des capteurs classiques aux capteurs intelligents*. Paper session presented at IBRA Institut Royal Belge de Régulation et d'Automatisme (1989).
6. Bingen, G., & **Mathys, P.** (1984). *L'évolution des transistors de puissance*. Paper session presented at SRBE Société Royale Belge des Electriciens (1984: Bruxelles).
7. Maggetto, G., & **Mathys, P.** (1984). *Chargeurs de batterie à haute fréquence: une évolution de la technique de charge des batteries pour la traction routière et la manutention: bilan énergétique*. Paper session presented at SRBE Société Royale Belge des Electriciens (1984: Bruxelles).
8. **Mathys, P.**, Maggetto, G., & Van Eck, J.-L. (1983). *Performances d'un modulateur à microprocesseur pour onduleur MLI*. Paper session presented at AIM83 - Utilisation des semi-conducteurs de puissance en électrotechnique (1983: Liège).
9. **Mathys, P.** (1982). *Evolution des modulateurs PWM pour machines asynchrones; des circuits câblés aux microprocesseurs*. Paper session presented at SRBE Société Royale Belge des Electriciens (1982: Bruxelles).
10. **Mathys, P.**, Maggetto, G., & Van Eck, J.-L. (1980). *Commande digitale d'un groupe moteur asynchrone onduleur de tension à thyristors ultra rapides; avantages et inconvénients*. Paper session presented at AIM80 Utilisation des semi-conducteurs de puissance en électrotechnique (1980: Liège).